

#### **Care Quality Commission (CQC)**

#### Technical details – patient survey information 2016 Inpatient Survey May 2017

#### Contents

1. Introduction	1
2. Selecting data for reporting	
3. The CQC organisation search tool	2
4. The trust benchmark reports	2
5. Interpreting the data	2
6. Further information	
Appendix A: Scoring for the 2016 Inpatients survey results	5
Appendix B: Calculating the trust score and category	
Appendix C: Calculation of standard errors	
• •	

#### 1. Introduction

This document outlines the methods used by the Care Quality Commission (CQC) to score and analyse trust level results for the 2016 Inpatient Survey, as available on the Care Quality Commission website, and in the benchmark report for each trust.

The survey results are available for each trust on the CQC website. Here, survey data are shown in a simplified way, identifying whether a trust performed 'better' or 'worse' or 'about the same' as the majority of other trusts for each question. This analysis is done using a statistic called the **'expected range'** (see section 5.3). On publication of the survey, an A-to-Z list of trust names will be available at the link below, containing further links to the survey data for all NHS trusts that took part in the survey: www.cqc.org.uk/inpatientsurvey

A benchmark report is also available for each trust. Results displayed in the benchmark report are a graphical representation of the results displayed for the public on the CQC website (see further information section). These have been provided to all trusts and will be available on the Co-ordination Centre's website at: <u>http://nhssurveys.org/surveys/1089</u>. The tables in the back of each benchmark report also highlight any statistically significant changes in the trust score between 2016 and 2015.

The CQC webpage also contains national results for England, comparing against results for previous surveys.

#### 2. Selecting data for reporting

Scores are assigned to responses to questions that are of an evaluative nature: in other words, those questions where results can be used to assess the performance of a trust (see section 5 "Scoring individual questions" for more detail). Questions that are not presented in this way tend to be those included solely for 'filtering' respondents past any questions that may not be relevant to them (such as: 'Did you have an operation or procedure?') or those used for descriptive or information purposes.

The scores for each question are grouped on the website and in the benchmark reports according to the sections of the questionnaire completed by respondents. For example, the Inpatient Survey includes sections on 'the accident and emergency department', 'the hospital and ward' and 'care and treatment' among others. The average score for each trust, for each section, was calculated and will be presented on the website and in the benchmark reports.

Accompanying both the question and the section scores on the website are one of three statements:

- Better
- About the same
- Worse

This analysis is done using a statistic called the 'expected range' (see section 5.3)

#### 3. The CQC organisation search tool

The organisation search tool contains information from various areas within the CQC's functions. The presentation of the survey data was designed using feedback from people who use the data, so that as well as meeting their needs, it presents the groupings of the trust results in a simple and fair way; so as to show where we are more confident that a trust's score is 'better' or 'worse' than we'd expect, when compared with most other trusts.

The survey data can be found from the A to Z link available at: <a href="http://www.cqc.org.uk/inpatientsurvey">www.cqc.org.uk/inpatientsurvey</a>

Or by searching for a hospital from the CQC home page, then clicking on 'Patient survey information' on the right hand side then clicking 'latest patient survey results'.

#### 4. Trust benchmark reports

<u>Benchmark reports</u> should be used by NHS trusts to identify how they are performing in relation to all other trusts that took part in the survey. They also show if a score has significantly increased or decreased compared with the last survey. This enables areas for improvement to be identified.

The graphs included in the reports display the scores for a trust, compared with the full range of results from all other trusts that took part in the survey. Each bar represents the range of results for each question, across all trusts that took part in the survey. In the graphs, the bar is divided into three sections:

- If a trust score lies in the orange section of the graph, the trust result is 'about the same' as most other trusts in the survey
- If a trust scores lies in the red section of the graph, the trust result is 'worse' than expected when compared with most other trusts in the survey.
- If your score lies in the green section of the graph, the trust result is 'better' than expected when compared with most other trusts in the survey

A black diamond represents the score for this trust. The black diamond (score) is not shown for questions answered by fewer than 30 people because the uncertainty around the result would be too great.

#### 5. Interpreting the data

#### 5.1 Scoring

Questions are scored on a scale from 0 to 10. Details of the scoring for this survey are available in <u>Appendix A</u> at the end of this document.

The scores represent the extent to which the patient's experience could be improved. A score of 0 is assigned to all responses that reflect considerable scope for improvement, whereas a response that was assigned a score of 10 refers to the most positive patient experience possible. Where a number of options lay between the negative and positive responses, they are placed at equal intervals along the scale. Where options were provided that did not have any bearing on the trust's performance, in terms of patient experience, the responses are classified as "not applicable" and a score is not given. Where respondents stated they could not remember or did not know the answer to a question, a score is not given.

#### 5.2 Standardisation

Results are based on 'standardised' data. We know that the views of a respondent can reflect not only their experience of NHS services, but can also relate to certain demographic characteristics; such as their age and sex. Older respondents, for example, tend to report more positive experiences than younger respondents, and women tend to report less positive experiences than men. The mix of patients varies across trusts, and this could lead to bias, resulting in a trust appearing better or worse than they would if they had a slightly different profile of patients. To account for this we 'standardise' the data. Standardising data adjusts for these differences and enables the results for trusts to be compared more fairly than could be achieved using non-standardised data.

The inpatient survey is standardised by: age, gender and method of admission (emergency or elective).

#### 5.3 Expected range

The better / about the same / worse categories are based on the 'expected range', which is calculated for each question. This is the range within which we would expect a particular trust to score if it performed about the same as most other trusts in the survey. The range takes into account the number of respondents from each trust as well as the scores for all other trusts, and allows us to identify which scores we can confidently say are 'better' or 'worse' than the majority of other trusts (see <u>Appendix B</u> for more details). Analysing the survey information in such a way allows for fairer conclusions to be made in terms of each trust's performance, and allows the findings to be presented in a way that both takes in to account of all necessary factors, as well as being presented in a simple manner.

As the 'expected range' calculation takes into account the number of respondents at each trust who answer a question, it is not necessary to present confidence intervals around each score for the purposes of comparing across all trusts.

#### 5.4 Comparing scores across or within trusts, or across survey years

The expected range statistic is used to arrive at a judgement of how a trust is performing compared with all other trusts that took part in the survey. However, if you want to use the scored data in another way, to compare scores (either as trend data for an individual trust or between different trusts) you will need to undertake an appropriate statistical test to ensure that any changes are 'statistically significant'. 'Statistically significant' means that you can be very confident that any change between scores is real and not due to chance.

The benchmark report for each trust includes a comparison to the 2015 survey scores and indicates whether the change is statistically significant. However, to compare back to earlier surveys (where possible) you would need to undertake a similar significance test.

#### 5.5 Conclusions made on performance

It should be noted that the data only show performance relative to other trusts; we have not set out absolute thresholds for 'good' or 'bad' performance. Thus, a trust may have a low score for a specific question, while still performing very well on the whole. This is particularly true on questions where the majority of trusts exhibit a high score.

The better / worse categories are intended to help trusts identify areas of good or poor performance. However, when looking at scores within a trust over time, it is important to be aware that they are relative to the performance of other trusts. If, for example, a trust was 'better' for one question, then 'about the same' the following year, it may not indicate an actual decrease in the performance of the trust, but instead may be due to an improvement in many other trusts' scores. Hence, it is more accurate to look at actual changes in scores and to test for statistically significant differences.

#### 6. Further information

The full national results are on the CQC website, together with an A to Z list to view the results for each trust (alongside the technical document outlining the methodology and the scoring applied to each question): <u>http://www.cqc.org.uk/inpatientsurvey</u>

The results for the adult inpatient surveys from 2002 to 2015 can be found at: <u>http://www.nhssurveys.org/surveys/425</u>

Full details of the methodology of the survey can be found at: <u>http://www.nhssurveys.org/surveys/935</u>

More information on the NHS patient survey programme is available at: <a href="http://www.cqc.org.uk/content/surveys">http://www.cqc.org.uk/content/surveys</a>

More information about how CQC monitors hospitals is available on the CQC website at:

http://www.cqc.org.uk/content/monitoring-nhs-acute-hospitals

#### Appendix A: Scoring for the 2016 Inpatients survey results

The following describes the scoring system applied to the evaluative questions in the survey. Taking question 24 as an example (Figure A1), it asks respondents whether the doctor answered their questions in a way they could understand. The option of "No" was allocated a score of 0, as this suggests that the experiences of the patient need to be improved. A score of 10 was assigned to the option 'Yes, always', as it reflects the most positive patient experience. The remaining option, 'Yes, sometimes', was assigned a score of 5 as the patient did not always receive understandable answers. Hence it was placed on the midpoint of the scale.

If the patient did not have any questions to ask, this was classified as a 'not applicable' response.

Figure A1 Scoring example: Question 25 (2016 Inpatient Survey	y)
Q25. When you had important que that you could understand?	stions to ask a doctor, did you get answers
Yes, always	10
Vac annating an	F

	10
Yes, sometimes	5
No	0
I had no need to ask	Not applicable

Where a number of options lay between the negative and positive responses, they were placed at equal intervals along the scale. For example, question 17 asks respondents how clean the hospital room or ward they were in was, (Figure A2). The following response options were provided:

- Very clean
- Fairly clean
- Not very clean
- Not at all clean

A score of 10 was assigned to the option 'very clean', as this represents the best outcome in terms of patient experience. A response that the room or ward was 'not at all clean' was given a score of 0. The remaining two answers were assigned a score that reflected their position in terms of quality of experience, spread evenly across the scale. Hence the option 'fairly clean' was assigned a score of 6.7, and 'not very clean' was given a score of 3.3.

Figure A2 Scoring example:	
Question 17 (2016 Inpatient Survey)	
Q17. In your opinion, how clean was the hospital	
room or ward that you were in?	
Very clean	10
Fairly clean	6.7
Not very clean	3.3
Not at all clean	0

Details of the method used to calculate the scores for each trust, for individual questions and each section of the questionnaire, are available in Appendix B. This also includes an explanation of the technique used to identify scores that are better, worse or about the same as most other trusts.

All analysis is carried out on a 'cleaned' data set. 'Cleaning' refers to the editing process that is undertaken on the survey data, and a document describing this can be found at: <u>http://www.nhssurveys.org/survey/1762</u>

As part of the cleaning process, responses are removed from any trust that has fewer than 30 respondents to a question. This is because the uncertainty around the result is too high, and very low numbers would risk respondents being recognised from their responses. However, please note that when scoring the data, there are **exceptions to this rule for questions eleven and thirteen, and questions fifty-four and fifty-five.** This is due to these questions having composite scoring; the results from two or more questions are used to create a single score. If a trust has fewer than thirty responses to a question used in composite scoring, that information is retained during the calculation of the composite score, so as to enable fairer scoring.

For example, Q11 and Q13 are scored together to provide a score based on whether a respondent ever shared a sleeping area with patients of the opposite sex. If a respondent answered 'yes' to either Q11 or Q13 a trust will receive a score of 0.

The scoring rules for Q11 and Q13 state that if either Q11 or Q13 are missing, the other is used for the scoring.

If fifty respondents answered Q11, but only twenty of these said they were moved to a different ward (at Q12), this means that only twenty respondents answer Q13, which asks if they had to share a sleeping area with patients of the opposite sex after being moved to another ward. Following the cleaning rules, these responses would be cleaned out due to being less than thirty. However, fifteen of these respondents may have said that, after moving wards, they did share a sleeping area with patients of the opposite sex. If these responses had been cleaned out, the trust would therefore have received a more positive score than they should have.

For clarity, please note that, in any instances of low numbers of respondents to questions included in composite scoring, such responses would be cleaned for all other outputs. As such, they do not contribute the national results, nor are they included in the anonymised data set submitted to the UK Data Archive.

The below details the scoring allocated to each of the 'scored questions'.

#### Section 1: The Accident and Emergency Department (A&E)

3. While you were in the A&E Department, how much information about your condition or treatment was given to you?		
Not enough	5	
Right amount	10	
Too much	5	
I was not given any information about my condition or treatment	0	
Don't know / Can't remember	Not applicable	
Answered by those who went to the A&E department		

6

4. Were you given enough privacy when being examined or treated in the A&E Department?		
Yes, definitely	10	
Yes, to some extent	5	
No	0	
Don't know / Can't remember	Not applicable	
Answered by those who went to the A&E department	••	

#### Section 2: Waiting lists and planned admissions

6. How do you feel about the length of time you were on the waiting list before your admission to hospital?		
I was admitted as soon as I thought was necessary	10	
I should have been admitted a bit sooner	5	
I should have been admitted a lot sooner	0	
Answered by those who had a planned admission		

#### 7. Was your admission date changed by the hospital?

No	10
Yes, once	6.7
Yes, 2 or 3 times	3.3
Yes, 4 times or more	0
Anoward by these whethese productions	

Answered by those who had a planned admission

8. In your opinion, had the specialist you saw in hospital been given all of the necessary information about your condition or illness from the person who referred you?	
Yes, definitely	10
Yes, to some extent	5
No	0
Don't know / can't remember	Not applicable
Answered by those who had a planned admission	

#### Section 3: All types of admission

9. From the time you arrived at the hospital, did you feel that you had to wait a long time to get to a bed on a ward?		
Yes, definitely	0	
Yes, to some extent	5	
No	10	

Answered by all

#### Section 4: The hospital and ward

#### 11. When you were first admitted to a bed on a ward, did you share a sleeping area, for example a room or bay, with patients of the opposite sex? AND 13. After you moved to another ward (or wards), did you ever share a sleeping area, for example a room or bay, with patients of the opposite sex?

Yes		0	
No		10	

Filtered to exclude respondents who said that they stayed in a critical care area at Q10 as the majority of patients in these areas are exempt from the mixed sex accommodation guidelines due to the necessity for clinical needs to be prioritised.

Q11 and Q13 are scored together to provide a single score on whether patients who have not stayed in a critical care area have ever shared a sleeping area with members of the opposite sex.

Q11 and Q13 are not scored if option 1 ("Yes") is selected to Q10.

Q11 and Q13 score "10" if the respondent did not ever share a sleeping area with patients of the opposite sex, i.e. selected option 2 ("No") to Q11 AND option 2 ("No") to Q13.

If option 1 ("Yes") is selected for EITHER Q11 or Q13 then a score of "0" is assigned.

If ONE of Q11 & Q13 is missing, the other is used for scoring.

The two trusts providing services for women only are excluded from this question

If a trust has less than 30 respondents to Q13, responses are not cleaned out to enable fairer scoring.

## 14. While staying in hospital, did you ever use the same bathroom or shower area as patients of the opposite sex?

Yes	0
Yes, because it had special bathing equipment that I needed	10
No	10
I did not use a bathroom or shower	Not applicable
Don't know / Can't remember	Not applicable
Answered by all	••

Note: the two trusts providing services for women only are excluded from this question

#### 15. Were you ever bothered by noise at night from other patients?

Yes	0
No	10
Anowarad by all	

Answered by all

16. Were you ever bothered by noise at night from hospital staff?	
Yes	0
No	10
Answered by all	

17. In your opinion, how clean was the hospital room or ward that you were in?	
Very clean	10
Fairly clean	6.7
Not very clean	3.3
Not at all clean	0
Answered by all	

18. How clean were the toilets and bathrooms that you used in hospital?	
Very clean	10
Fairly clean	6.7
Not very clean	3.3
Not at all clean	0
I did not use a toilet or bathroom	Not applicable
Answered by all	

19. Did you feel threatened during your stay in hospital by other patients or visitors?	
Yes	0
No	10
Answered by all	

20. Did you get enough help from staff to wash or keep yourself clean?	
Yes, always	10
Yes, sometimes	5
No	0
I did not need help to wash or keep myself clean	Not applicable

Answered by all

# 21. If you brought your own medication with you to hospital, were you able to take it when you needed to?

Yes, always	10
Yes, sometimes	5
No	0
I had to stop taking my own medication as part of my treatment	Not applicable
I did not bring my own medication with me to hospital	Not applicable
Answered by all	•

22. How would you rate the hospital food?	
Very good	10
Good	6.7
Fair	3.3
Poor	0
I did not have any hospital food	Not applicable
Answered by all	
23. Were you offered a choice of food?	10
23. Were you offered a choice of food? Yes always	10
23. Were you offered a choice of food? Yes always Yes sometimes	10 5

24. Did you get enough help from staff to eat your meals?	
Yes, always	10
Yes, sometimes	5
No	0
I did not need help to eat meals	Not applicable
Answered by all	

#### Section 5: Doctors

25. When you had important questions to ask a doctor, did you get answers that you could understand?	
Yes, always	10
Yes, sometimes	5
No	0
I had no need to ask	Not applicable
Answered by all	

26. Did you have confidence and trust in the doctors treating you?	
Yes, always	10
Yes, sometimes	5
No	0
Answered by all	

27. Did doctors talk in front of you as if you weren't there?		
Yes, often	0	
Yes, sometimes	5	
No	10	
Answered by all		

#### Section 6: Nurses

28. When you had important questions to ask a nurse, did you get answers that you could understand?				
Yes, always	10			
Yes, sometimes	5			
No	0			
I had no need to ask	Not applicable			
Answered by all				

29. Did you have confidence and trust in the nurses treating you?			
Yes, always	10		
Yes, sometimes	5		
No	0		
Answered by all			

30. Did nurses talk in front of you as if you weren't there?				
Yes, often	0			
Yes, sometimes	5			
No	10			
Answered by all				

#### 31. In your opinion, were there enough nurses on duty to care for you in hospital?

There were always or nearly always enough nurses	10
There were sometimes enough nurses	5
There were rarely or never enough nurses	0
Answered by all	

32. Did you know which nurse was in charge of looking after you? (this would have been a different person after each sift change)

Yes, always Yes, sometimes No Answered by all

#### Section 7: Care and Treatment

#### 33. In your opinion, did the members of staff caring for you work well together?

Yes, always	10
Yes, sometimes	5
No	0
Don't know/ Can't remember	Not applicable
Answered by all	

34. Sometimes in a hospital, a member of staff will say one thing and another will				
say something quite different. Did this happen to you?				
Yes, often	0			
Yes, sometimes	5			
No	10			
Answered by all				

## 35. Were you involved as much as you wanted to be in decisions about your care and treatment?

Yes, definitely	10
Yes, to some extent	5
No	0
Answered by all	

#### 36. Did you have confidence in decisions made about your condition or treatment?

Yes, always	10
Yes, sometimes	5
No	0
Answered by all	

#### 37. How much information about your condition or treatment was given to you?

Not enough	0
The right amount	10
Too much	0
Answered by all	

# 38. Did you find someone on the hospital staff to talk to about your worries and fears?

Yes definitely	10
Yes, to some extent	5
No	0
I had no worries or fears	Not applicable
Answered by all	

39. Do you feel you got enough emotional support from hospital staff during your stay?				
Yes, always	10			
Yes, sometimes	5			
No	0			
I did not need any emotional support	Not applicable			

Answered by all

40.	Were you	ı given	enough	privacy wl	hen discu	issing your	condition of	or treatment?
-----	----------	---------	--------	------------	-----------	-------------	--------------	---------------

Yes, always	10
Yes, sometimes	5
No	0
Answered by all	

#### 41. Were you given enough privacy when being examined or treated?

Yes, always	10
Yes, sometimes	5
No	0
Answered by all	

# 43. Do you think the hospital staff did everything they could to help control your pain?

Yes definitely	10
Vec. to come output	ГО Г
res, to some extent	5
No	0

Answered by those who said they were ever in any pain

44. How many minutes after you used the call button did it usually take before you got the help you needed?	
0 minutes / right away	10
1-2 minutes	7.5
3-5 minutes	5.0
More than 5 minutes	2.5
	_

	2.0
I never got help when I used the call button	0
I never used the call button	Not Applicable

Answered by all

#### Section 8: Operations and Procedures

# 46. Beforehand, did a member of staff explain the risks and benefits of the operation or procedure in a way you could understand?

Yes, completely	10
Yes, to some extent	5
No	0
I did not want an explanation	Not Applicable
Answered by those who had an operation or procedure during their stay in hospital	

# 47. Beforehand, did a member of staff explain what would be done during the operation or procedure?

Yes, completely	10
Yes, to some extent	5
No	0
I did not want an explanation	Not Applicable

Answered by those who had an operation or procedure during their stay in hospital

# 48. Beforehand, did a member of staff answer your questions about the operation or procedure in a way you could understand?

Yes, completely	10
Yes, to some extent	5
No	0
I did not have any questions	Not Applicable
Answered by those who had an operation or procedure during their stay in hospital	

## 49. Beforehand, were you told how you could expect to feel after you had the

operation or procedure?	
Yes, completely	10
Yes, to some extent	5
No	0
	14 1

Answered by those who had an operation or procedure during their stay in hospital

# 50. Before the operation or procedure, did the anaesthetist or another member of staff explain how he or she would put you to sleep or control your pain in a way you could understand?

Yes, completely	10
Yes, to some extent	5
No	0
Answered by those who had an operation or procedure during their stay in hospital	

and were given an anaesthetic or medication to put them to sleep or control their pain

52. After the operation or procedure, did a member of staff explain how the operation or procedure had gone in a way you could understand?	
Yes, completely	10
Yes, to some extent	5
No	0

Answered by those who had an operation or procedure during their stay in hospital

#### Section 9: Leaving Hospital

#### 53. Did you feel you were involved in decisions about your discharge from hospital?

Yes definitely	10
Yes, to some extent	5
No	0
I did not want to be involved	Not Applicable
Answered by all	

#### 54. Were you given enough notice about when you were going to be discharged?

Yes, definitely	10
Yes, to some extent	5
No	0
Answered by all	

Answered by all

#### 55. On the day you left hospital, was your discharge delayed for any reason?

Yes	0
No	10
Answered by all	

56. What was the MAIN reason for the delay? (Cross ONE box only)		
I had to wait for medicines	0	
I had to wait to see the doctor	0	
I had to wait for an ambulance	0	
Something else	Not Applicable	
Answered by those who said that their discharge was delayed		

If response to Q55 is 2 (discharge WAS NOT delayed), Q56 is scored 10.

If response to Q55 is 1 (discharge WAS delayed), and response to Q56 is 1, 2, 3 or 4, the scores above are assigned to Q56. If Q55 is missing, Q56 is not scored. If Q56 is missing, scoring is as per Q55.

If a trust has fewer than 30 respondents to Q55, responses are not cleaned out to enable fairer scoring.

#### 57. How long was the delay?

Up to 1 hour	7.5
Longer than 1 hour but no longer than 2 hours	5
Longer than 2 hours but no longer than 4 hours	2.5
Longer than 4 hours	0

Answered by those who said that their discharge was delayed

If response to Q55 is 4 (some other reason for the delay), Q56 is not scored.

If response to Q54 is 2 (discharge WAS NOT delayed), Q56 is scored 10.

If response to Q54 is 1 (discharge WAS delayed) AND the response to Q55 is 1, 2 or 3, the scores above are assigned to Q56.

If response to Q54 is 1 (discharge WAS delayed) AND the response to Q55 is missing, the scores above are assigned to Q55.

If response to Q54 is 1 (discharge WAS delayed) AND the response to Q56 is missing, Q56 is not scored.

If response to Q54 is missing, Q56 is not scored

If a trust has fewer than 30 respondents to Q55, responses are not cleaned out to enable fairer scoring.

59. After leaving hospital, did you get enough support from health or social care	
professionals to help you recover and manage your condition?	

Yes, definitely	10
Yes, to some extent	5
No, but support would have been useful	0
Do, but I did not need any support	Not Applicable
Answered by those who said they went home or stayed with family or frier	ids after leaving
hospital.	

#### 60. When you left hospital, did you know what would happen next with your care?

Yes definitely	10
Yes, to some extent	5
No	0
It was not necessary	Not applicable

Answered by those who said they were transferred to another hospital, went to a residential nursing home or went somewhere else.

Q59: This question does not contribute to the Section score for 'Leaving hospital' (Section 9), though is displayed for trusts where 30 or more respondents answered this question. In the instances where 30 or more respondents answered this question, the question score is displayed for the trust. If the row for Q59 is blank, this means that less than 30 responses were received for this question.

#### 61. Before you left hospital, were you given any written or printed information about what you should or should not do after leaving hospital?

Yes	10
No	0
Answered by all	

#### 62. Did a member of staff explain the purpose of the medicines you were to take at home in a way you could understand?

Yes, completely	10
Yes, to some extent	5
No	0
I did not need an explanation	Not Applicable
I had no medicines	Not Applicable
A 11 11	

#### Answered by all

#### 63. Did a member of staff tell you about medication side effects to watch for when you went home?

Jean	
Yes, completely	10
Yes, to some extent	5
No	0
I did not need an explanation	Not Applicable
Answered by those who were prescribed medication to take home	

#### 64. Were you told how to take your medication in a way you could understand?

Yes, definitely	10
Yes, to some extent	5
No	0
I did not need to be told how to take my medication	Not Applicable
Answered by those who were prescribed medication to take home	

Answered by those who were prescribed medication to take home

#### 65. Were you given clear written or printed information about your medicines?

Yes, completely	10
Yes, to some extent	5
No	0
I did not need this	Not Applicable
Don't know / Can't remember	Not Applicable
Answered by those who were prescribed medication to take home	

### 66. Did a member of staff tell you about any danger signals you should watch for

after you went home?	
Yes, completely	10
Yes, to some extent	5
No	0
It was not necessary	Not Applicable
Answered by all	

# 67. Did hospital staff take your family or home situation into account when planning your discharge?

Yes, completely	10
Yes, to some extent	5
No	0
It was not necessary	Not Applicable
Don't know / Can't remember	Not Applicable
Answered by all	

# 68. Did the doctors or nurses give your family or someone close to you all the<br/>information they needed to help care for you?Yes, definitely10Yes, to some extent5No0No family or friends were involvedNot ApplicableMy family or friends did not want or need informationNot Applicable

Answered by all

# 69. Did hospital staff tell you who to contact if you were worried about your condition or treatment after you left hospital?

Yes	10
No	0
Don't know / Can't remember	Not Applicable
Answered by all	

# 70. Did hospital staff discuss with you whether you would need any additional equipment in your home, or any adaptations made to your home, after leaving hospital?

Yes	10
No, but I would have liked them to	0
No, it was not necessary to discuss it	Not Applicable
Answered by all	

#### 71. Did hospital staff discuss with you whether you may need any further health or social care services after leaving hospital? (e.g. services from a GP, physiotherapist or community nurse, or assistance from social service or the voluntary sector) Yes

	10
No, but I would have liked them to	0
No, it was not necessary to discuss it	Not Applicable
Answered by all	

#### Section 10: Overall

72. Overall, did you feel you were treated with respect and dignity while you were in		
the hospital?		
Yes, always	10	
Yes, sometimes	5	
No	0	
Answered by all		

#### 73. During your time in hospital did you feel well looked after by hospital staff?

Yes, always	10
Yes, sometimes	5
No	0
Answered by all	

#### 74. Overall...

I had a very poor experience	0
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
I had a very good experience	10
Answered by all	

#### 75. During your hospital stay, were you ever asked to give your views on the quality of your care?

Yes	10
No	0
Don't know / Can't remember	Not Applicable
Answered by all	

# 76. Did you see, or were you given, any information explaining how to complain<br/>about the care you received?Yes10

163	10
No	0
Not sure / Don't know	Not Applicable
Answered by all	

#### Appendix B: Calculating the trust score and category

#### **Calculating trust scores**

The scores for each question and section in each trust were calculated using the method described below.

Weights were calculated to adjust for any variation between trusts that resulted from differences in the age, sex and method of admission (planned or elective) of respondents. A weight was calculated for each respondent by dividing the national proportion of respondents in their age/sex/admission type group by the corresponding trust proportion. The reason for weighting the data was that younger people and women tend to be more critical in their responses than older people and men. If a trust had a large population of young people or women, their performance might be judged more negatively than if there was a more consistent distribution of age and sex of respondents.

#### Weighting survey responses

The first stage of the analysis involved calculating national age/ sex/ admission method proportions. It must be noted that the term "national proportion" is used loosely here as it was obtained from pooling the survey data from all trusts, and was therefore based on the respondent population rather than the entire population of England.

All respondents at both Birmingham and Liverpool Women's NHS Foundation Trusts are coded as 'female', even where self-reported gender is coded as male. These trusts are then weighted using the national all female population as a reference.

The questionnaire asked respondents to state their year of birth. The approximate age of each patient was then calculated by subtracting the figure given from 2016. The respondents were then grouped according to the categories shown in Figure B1.

If a patient did not fill in their year of birth or sex on the questionnaire, this information was inputted from the sample file. If information on a respondent's age and/or sex was missing from both the questionnaire and the sample file, the patient was excluded from the analysis.

Question 1 asked "Was your most recent hospital stay planned in advance or an emergency?" Respondents that ticked "emergency or urgent" were classed as emergency patients for the purpose of the weightings. Those who ticked "waiting list or planned in advance" were classed as elective patients. However, if respondents ticked "something else" or did not answer question 1, information was taken from other responses to the questionnaire to determine the method of admission.

#### Emergency admission:

> If the respondent answered "emergency or urgent" at question 1.

Or

If the respondent answered "something else" or did not respond to question 1, and answered 'yes' to question 2.

Or

If the respondent answered "something else" or did not respond to question 1, did not answer question 2, but responded to one or more of questions 3 or 4.

#### Elective admission:

- If the respondent answered "waiting list or planned in advance" at question 1. Or
  - If the respondent answered "something else" or did not respond to question 1, and answered 'no' to question 2.

Or

If the respondent answered "something else" or did not respond to question 1, did not answer questions 2, 3 and 4 and gave at least one response to questions 5, 6, 7 and 8.

All other combinations of responses for questions 1 to 8 resulted in the respondent being excluded from the analysis, as it was not possible to determine admission method.

The national age/sex/admission method proportions relate to the proportion of men, and women of different age groups who had emergency or elective admission. As shown in Figure B1, the proportion of respondents who were male, admitted as emergencies, and aged 51 to 65 years is **0.066**; the proportion who were women, admitted as emergencies, and aged 51 to 65 years is **0.061** etc.

Admission	Sex	Age Group	National
Method			proportion 2016
	Men	≤35	0.012
		36-50	0.022
		51-65	0.066
Emergency		66+	0.200
Emergency	Women	≤35	0.022
		36-50	0.031
		51-65	0.061
		66+	0.210
Men Elective Women	Men	≤35	0.006
		36-50	0.012
		51-65	0.045
		66+	0.110
	Women	≤35	0.011
		36-50	0.028
		51-65	0.057
	66+	0.108	

Note: All proportions are given to three decimals places for this example. The analysis included these figures to nine decimal places, and can be provided on request from the CQC surveys team at patient.survey@cqc.org.uk.

These proportions were calculated for each trust, using the same procedure.

The next step was to calculate the weighting for each individual. Age/sex/admission type weightings were calculated for each respondent by dividing the national proportion of respondents in their age/sex/admission type group by the corresponding trust proportion.

If, for example, a lower proportion of men who were admitted as emergencies aged between 51 and 65 years within Trust A responded to the survey, in comparison with the national proportion, then this group would be under-represented in the final scores. Dividing the national proportion by the trust proportion results in a weighting greater than "1" for members of this group (Figure B2). This increases the influence of responses made by respondents within that group in the final score, thus counteracting the low representation.

Sex	Admission	Age Group	National	Trust A	Trust A Weight
		5	Proportion	Proportion	(National/Trust A)
Men	Emergency	≤35	0.012	0.018	0.667
		36-50	0.022	0.035	0.629
		51-65	0.066	0.047	1.404
		66+	0.200	0.095	2.105
Women	Emergency	≤35	0.022	0.045	0.489
		36-50	0.031	0.057	0.544
		51-65	0.061	0.085	0.718
		66+	0.210	0.117	1.795
Men	Elective	≤35	0.006	0.018	0.334
		36-50	0.012	0.035	0.343
		51-65	0.045	0.047	0.957
		66+	0.110	0.095	1.158
Women	Elective	≤35	0.011	0.045	0.244
		36-50	0.028	0.057	0.491
		51-65	0.057	0.085	0.671
		66+	0.108	0.119	0.907

#### Figure B2 Proportion and Weighting for Trust A

Note: All proportions are given to three decimals places for this example.

Likewise, if a considerably higher proportion of women admitted as emergency patients aged between 36 and 50 years from Trust B responded to the survey (Figure B3), then this group would be over-represented within the sample, compared with national representation of this group. Subsequently this group would have a greater influence over the final score. To counteract this, dividing the national proportion by the proportion for Trust B results in a weighting of less than one for this group.

Figure B3	<b>Proportion</b>	and V	Veighting	for	Trust	В
-----------	-------------------	-------	-----------	-----	-------	---

Sex	Admission	Age Group	National	Trust B	Trust B Weight
			Proportion	Proportion	(National/Trust B)
Men	Emergency	≤35	0.012	0.016	0.750
		36-50	0.022	0.029	0.759
		51-65	0.066	0.062	1.065
		66+	0.200	0.091	2.198
Women	Emergency	≤35	0.022	0.034	0.647
		36-50	0.031	0.075	0.413
		51-65	0.061	0.080	0.763
		66+	0.210	0.110	1.909
Men	Elective	≤35	0.006	0.016	0.375
		36-50	0.012	0.029	0.414
		51-65	0.045	0.062	0.758
		66+	0.110	0.097	1.134
Women	Elective	≤35	0.011	0.034	0.324
		36-50	0.028	0.075	0.373
		51-65	0.057	0.080	0.713
		66+	0.108	0.110	0.982

Note: All proportions are given to three decimals places for this example.

To prevent the possibility of excessive weight being given to respondents in an extremely underrepresented group, the maximum value for any weight was set at five.

#### **Calculating question scores**

The trust score for each question displayed on the website was calculated by applying the weighting for each respondent to the scores allocated to each response.

The responses given by each respondent were entered into a dataset using the 0-10 scale described in section 3. Each row corresponded to an individual respondent, and each column related to a survey question. For those questions that the respondent did not answer (or received a "not applicable" score for), the relevant cell remained empty. Alongside these were the weightings allocated to each respondent (Figure B6).

# Figure B4 Example scoring for the 'A&E Department' section, 2016 Inpatients survey, Trust B

Deenendent	Sc	Waight	
Respondent	Q3	Q4	weight
1	10	0	0.750
2	5	10	0.759
3		5	0.647

Respondents' scores for each question were then multiplied individually by the relevant weighting, in order to obtain the numerators for the trust scores (Figure B5).

# Figure B5 Example numerators for the 'A&E' section, 2016 Inpatients survey, Trust B

Deenendent	Sc	Mainht	
Respondent	Q3	Q4	weight
1	7.50	0.000	0.750
2	3.795	7.590	0.759
3		3.235	0.647

#### Obtaining the denominators for each domain score

A second dataset was then created. This contained a column for each question, grouped into domains, and again with each row corresponding to an individual respondent. A value of one was entered for the questions where a response had been given by the respondent, and all questions that had been left unanswered or allocated a scoring of "not applicable" were set to missing (Figure B8).

#### Figure B6 Example values for non-missing responses, 'A&E' section, 2015 Inpatients survey, Trust B

Respondent	Sc	Weight	
	Q3	Q4	morgine
1	1	1	0.750
2	1	1	0.759
3		1	0.647

The denominators were calculated by multiplying each of the cells within the second dataset by the weighting allocated to each respondent. This resulted in a figure for each question that the respondent had answered (Figure B9). Again, the cells relating to the questions that the respondent did not answer (or received a 'not applicable' score for) remained set to missing (Figure B8).

#### Figure B7 Denominators for the "A&E" section, 2015 Inpatients survey, Trust B

Deenendent	Sc	Mainht	
Respondent	Q3	Q4	weight
1	0.750	0.750	0.750
2	0.759	0.759	0.759
3		0.647	0.647

The weighted mean score for each trust, for each question, was calculated by dividing the sum of the weighted scores for a question (i.e. numerators), by the weighted sum of all eligible respondents to the question (i.e. denominators) for each trust.

Using the example data for Trust B, we first calculated weighted mean scores for each of the three questions that contributed to the 'A&E' section of the questionnaire.

Q3:	<u>7.50 + 5.620</u> 0.750 + 0.759	=	8.694
Q4:	$\frac{0.000 + 7.590 + 3.32}{0.750 + 0.759 + 0.64}$	<u>25</u> = 47	5.063

#### **Calculating section scores**

A simple arithmetic mean of each trust's question scores was then taken to give the score for each section. Continuing the example from above, then, Trust B's score for the 'Accident & Emergency' section of the Inpatients survey would be calculated as:

(7.099 + 5.536) / 2 = 6.318

#### Calculation of the expected ranges

Z statistics (or Z scores) are standardized scores derived from normally distributed data, where the value of the Z score translates directly to a p-value. That p-value then translates to what level of confidence you have in saying that a value is significantly different from the mean of your data (or your 'target' value).

A standard Z score for a given item is calculated as:

$$z_i = \frac{y_i - \theta_0}{s_i} \qquad (1)$$

where:  $s_i$  is the standard error of the trust score<sup>1</sup>,  $y_i$  is the trust score  $\theta_0$  is the mean score for all trusts

Under this banding scheme, a trust with a Z score of < -1.96 is labeled as "Worse" (significantly below average; p<0.025 that the trust score is below the national average), -1.96 < Z < 1.96 as "About the same", and Z > 1.96 as "Better" (significantly above average; p<0.025 that the trust score is above the national average) than what would be expected based on the national distribution of trust scores.

However, for measures where there is a high level of precision (the survey indicators sample sizes average around 400 to 500 per trust) in the estimates, the standard Z score may give a disproportionately high number of trusts in the significantly above/ below average bands (because  $s_i$  is generally so small). This is compounded by the fact that all the factors that may affect a trust's score cannot be controlled. For example, if trust scores are closely related to economic deprivation then there may be significant variation between trusts due to this factor, not necessarily due to factors within the trusts' control. In this situation, the data are said to be 'over dispersed'. That problem can be partially overcome by the use of an 'additive random effects model' to calculate the Z score (we refer to this modified Z score as the  $Z_D$  score). Under that model, we accept that there is natural variation between trust's local

<sup>&</sup>lt;sup>1</sup> Calculated using the method in Appendix C.

standard error in the denominator of (1). In effect, rather than comparing each trust simply to one national target value, we are comparing them to a national distribution.

The  $Z_D$  score for each question and section was calculated as the trust score minus the national mean score, divided by the standard error of the trust score plus the variance of the scores between trusts. This method of calculating a  $Z_D$  score differs from the standard method of calculating a Z score in that it recognizes that there is likely to be natural variation between trusts which one should expect, and accept. Rather than comparing each trust to one point only (i.e. the national mean score), it compares each trust to a distribution of acceptable scores. This is achieved by adding some of the variance of the scores between trusts to the denominator.

The steps taken to calculate Z<sub>D</sub> scores are outlined below.

#### Winsorising Z-scores

The first step when calculating  $Z_D$  is to 'Winsorise' the standard Z scores (from (1)). Winsorising consists of shrinking in the extreme Z-scores to some selected percentile, using the following method:

1. Rank cases according to their naive Z-scores.

2. Identify  $Z_q$  and  $Z_{(1-q)},$  the 100q% most extreme top and bottom naive Z-scores. For this work, we used a value of q=0.1

3. Set the lowest 100q% of Z-scores to  $Z_{\rm q},$  and the highest 100q% of Z-scores to  $_{\rm (1-q)}$ . These are the Winsorised statistics.

This retains the same number of Z-scores but discounts the influence of outliers.

#### Estimation of over-dispersion

An over dispersion factor  $\hat{\phi}$  is estimated for each indicator which allows us to say if the data for that indicator are over dispersed or not:

$$\hat{\phi} = \frac{1}{I} \sum_{i=1}^{I} z_{i}^{2}$$
 (2)

where I is the sample size (number of trusts) and  $z_i$  is the Z score for the *i*th trust given by (1). The Winsorised Z scores are used in estimating  $\hat{\phi}$ .

#### An additive random effects model

If I  $\hat{\phi}$  is greater than (I - 1) then we need to estimate the expected variance between trusts. We take this as the standard deviation of the distribution of  $\theta_i$  (trust means) for trusts, which are on target, we give this value the symbol  $\hat{\tau}$ , which is estimated using the following formula:

$$\hat{\tau}^{2} = \frac{I\hat{\phi} - (I-1)}{\sum_{i} w_{i} - \sum_{i} w_{i}^{2} / \sum_{i} w_{i}} \quad (3)$$

where  $w_i = 1 / s_i^2$  and  $\hat{\phi}$  is from (2). Once  $\hat{\tau}$  has been estimated, the  $Z_D$  score is calculated as:

$$\chi_{i}^{D} = \frac{y_{i}^{-}\theta_{0}}{\sqrt{s_{i}^{2} + \hat{\tau}^{2}}}$$
(4)

#### Appendix C: Calculation of standard errors

#### 1. Calculation of standard errors

In order to calculate statistical bandings from the data, it is necessary for CQC to have both trusts' scores for each question and section and the associated standard error. Since each section is based on an aggregation of question mean scores that are based on question responses, a standard error needs to be calculated using an appropriate methodology.

For the patient experience surveys, the z-scores are scores calculated for section and question scores, which combines relevant questions making up each section into one overall score, and uses the pooled variance of the question scores

#### Assumptions and notation

The following notation will be used in formulae:

- $X_{iik}$  is the score for respondent *j* in trust *i* to question *k*
- *Q* is the number of questions within section *d*
- $w_{ij}$  is the standardization weight calculated for respondent *j* in trust *i*
- $Y_{ik}$  is the overall trust *i* score for question *k*
- $Y_{id}$  is the overall score for section *d* for trust *i*

Associated with the subject or respondent is a weight  $w_{ij}$  corresponding to how well the respondent's age/sex is represented in the survey compared with the population of interest.

#### Calculating mean scores

Given the notation described above, it follows that the overall score for trust i on question k is given as:

$$Y_{ik} = rac{\displaystyle \sum_{j} w_{ij} X_{ijk}}{\displaystyle \sum_{j} w_{ij}}$$

The overall score for section d for trust i is then the average of the trust-level question means within section d. This is given as:

$$Y_{id} = \frac{\sum_{k=1}^{Q} Y_{ikd}}{Q}$$

#### **Calculating standard errors**

Standard errors are calculated for both sections and questions. The variance within trust i on question k is given by:

$$\hat{\sigma}_{ik}^2 = \frac{\sum_{j} w_{ij} \left( X_{ijk} - Y_{ik} \right)^2}{\sum_{j} w_{ij}}$$

This assumes independence between respondents.

For ease of calculation, and as the sample size is large, we have used the biased estimate for variance.

The variance of the trust level average question score, is then given by:

$$V_{ik} = Var(Y_{ik}) = Var\left(\frac{\sum_{j} w_{ij} X_{ijk}}{\sum_{j} w_{ij}}\right)$$
$$= \frac{Var\left(\sum_{j} w_{ij} X_{ijk}\right)}{\left(\sum_{j} w_{ij}\right)^{2}}$$
$$= \frac{\hat{\sigma}_{ik}^{2} \sum_{j} w_{ij}^{2}}{\left(\sum_{j} w_{ij}\right)^{2}}$$

Covariances between pairs of questions (here, k and m) can be calculated in a similar way:

$$COV_{ik.im} = Cov(Y_{ik}, Y_{im}) = \frac{\hat{\sigma}_{ikm} \sum_{j} w_{ij}^2}{\left(\sum_{j} w_{ij}\right)^2}$$

Where 
$$\hat{\sigma}_{ikm} = \frac{\sum_{j} W_{ij} (X_{ijk} - Y_{ik}) (X_{ijm} - Y_{im})}{\sum_{j} W_{ij}}$$

Note:  $w_{ij}$  is set to zero in cases where patient *j* in trust *i* did not answer both questions *k* and *m*.

The trust level variance for the section score *d* for trust *i* is given by:

$$V_{id} = Var(Y_{id}) = \frac{1}{Q^2} \left\{ \sum_{k=1}^{Q} V_{ik} + 2\sum_{k=2}^{Q} \sum_{m=1}^{k-1} COV_{ik,im} \right\}$$

The standard error of the section score is then:

$$SE_{id} = \sqrt{V_{id}}$$